



LGBT People and Tobacco Fact Sheet

LGBT communities are severely impacted by tobacco use

- Looking at high quality Behavioral Risk Factor Surveillance Survey (BRFSS) data from five states, LGBT people smoke at rates approximately 35% to 200% higher than non-LGBT people.¹
 - In the largest survey ever of transgender communities, smoking was 50% higher than in the general population.²
 - The smoking disparity also exists among racial/ethnic LGBT communities.³
 - These disparities are found regardless of study design, geographic location, or time, and researchers have identified over 50 separate studies on LGBT smoking.^{1,4-6}
- The tobacco epidemic among LGBT communities results in disease, disability, and death.^{7,8}
 - American Cancer Society estimates that over 30,000 LGBT people die each year of tobacco-related diseases.⁹

Tobacco companies target LGBT populations, compromising work against a major health threat

- Tobacco marketing is pervasive in LGBT publications,^{10,11} and LGBT people may be more receptive to tobacco industry marketing.¹²
- Tobacco companies “support” some LGBT causes as part of marketing campaigns to align corporate image with community values and to reduce bad publicity.¹³⁻¹⁵
 - Tobacco industry funding can compromise anti-tobacco activities by LGBT community organizations by making leaders unwilling to recognize the effects of the tobacco epidemic.¹⁶⁻¹⁸
- An early Tobacco industry document described the plan for increasing sales among San Francisco’s gay and homeless populations; it was labeled “Project SCUM”.¹⁹



Negative health impacts of tobacco continue to be under-estimated

- Up to ½ of people who smoke will die early as a result, losing an average of 10-20 years of their life.²⁰
- Tobacco is the number one cause of mortality in this country.²¹
- In the United States, tobacco kills more people each day than AIDS, alcohol, car accidents, firearms, and illegal drugs – combined.²²

Reasons for the disparity

- Emphasis on bars and restaurants as social spaces for LGBT people creates added exposure to secondhand smoke and may contribute to the disparity.^{23,24}
- Recent evidence shows that LGBT people reporting higher levels of discrimination, stress, and victimization are more likely to start smoking.¹
- LGBT youth in safer, more supportive areas are less likely to start smoking.²⁵

LGBT people want clean indoor air

- A national survey by Harris Interactive found that LGBT respondents were the only population group willing to pay extra to go to a bar that was smokefree.²⁶

For more information on any of the facts quoted in this factsheet, please contact Scout at lgbttobacco@gmail.com. This factsheet was originally prepared by Scout and Donald Hitchcock on 1/10/05, with assistance from the Robert Wood Johnson Foundation, www.smokefree.net, the American Cancer Society, and the Campaign for Tobacco-Free Kids. It was updated in 2008 by Scout for the National LGBT Tobacco Control Network, and updated again in August 2011 by Joseph Lee of the UNC Gillings School of Global Public Health. See more information at www.lgbthealthequity.org. The Factsheet was supported by the Cooperative Agreement Number 5U58DP001516-04 from The Centers for Disease Control and Prevention. Its contents are solely the responsibility of the authors and do not necessarily represent the official views of the Centers for Disease Control and Prevention.



Citations for LGBT People and Tobacco Factsheet

1. ALA. *Smoking out a deadly threat: tobacco use in the LGBT community*. Washington, DC: American Lung Association;2010.
2. Grant J, Mottet L, JTanis J, Herman J, Harrison J, Keisling M. *National transgender discrimination survey: report on health and health care*. Washington, DC: National Center for Transgender Equality and the National Gay and Lesbian Task Force;2010.
3. Bloosnich JR, Jarrett T, Horn K. Racial and ethnic differences in current use of cigarettes, cigars, and hookahs among lesbian, gay, and bisexual young adults. *Nicotine Tob Res*. Jun 2011;13(6):487-491.
4. Lee JG, Griffin GK, Melvin CL. Tobacco use among sexual minorities in the USA, 1987 to May 2007: a systematic review. *Tobacco Control*. Aug 2009;18(4):275-282.
5. Hughes TL, Jacobson KM. Sexual orientation and women's smoking. *Curr Womens Health Rep*. Jun 2003;3(3):254-261.
6. Ryan H, Wortley PM, Easton A, Pederson L, Greenwood G. Smoking among lesbians, gays, and bisexuals: a review of the literature. *Am J Prev Med*. Aug 2001;21(2):142-149.
7. Heck JE, Jacobson JS. Asthma diagnosis among individuals in same-sex relationships. *J Asthma*. Oct 2006;43(8):579-584.
8. Bloosnich J, Jarrett T, Horn K. Disparities in smoking and acute respiratory illnesses among sexual minority young adults. *Lung*. Oct 2010;188(5):401-407.
9. American Cancer Society. Tobacco and the GLBT Community. 2003; <http://www.glbthealth.org/documents/GLBTTobacco.pdf>. Accessed May 23, 2005.
10. Smith EA, Offen N, Malone RE. What makes an ad a cigarette ad? Commercial tobacco imagery in the lesbian, gay, and bisexual press. *J Epidemiol Community Health*. Dec 2005;59(12):1086-1091.
11. Smith EA, Offen N, Malone RE. Pictures worth a thousand words: noncommercial tobacco content in the lesbian, gay, and bisexual press. *J Health Commun*. Oct-Nov 2006;11(7):635-649.
12. Dilley JA, Spigner C, Boysun MJ, Dent CW, Pizacani BA. Does tobacco industry marketing excessively impact lesbian, gay and bisexual communities? *Tob Control*. Dec 2008;17(6):385-390.
13. Offen N, Smith EA, Malone RE. From adversary to target market: the ACT-UP boycott of Philip Morris. *Tobacco Control*. Jun 2003;12(2):203-207.
14. Washington HA. Burning Love: big tobacco takes aim at LGBT youths. *Am J Public Health*. Jul 2002;92(7):1086-1095.
15. Stevens P, Carlson LM, Hinman JM. An analysis of tobacco industry marketing to lesbian, gay, bisexual, and transgender (LGBT) populations: strategies for mainstream tobacco control and prevention. *Health Promotion Practice*. Jul 2004;5(3 Suppl):129S-134S.
16. Offen N, Smith EA, Malone RE. Is tobacco a gay issue? Interviews with leaders of the lesbian, gay, bisexual and transgender community. *Cult Health Sex*. Feb 2008;10(2):143-157.
17. Smith EA, Thomson K, Offen N, Malone RE. "If you know you exist, it's just marketing poison": meanings of tobacco industry targeting in the lesbian, gay, bisexual, and transgender community. *Am J Public Health*. Jun 2008;98(6):996-1003.
18. Drabble L. Alcohol, Tobacco, and Pharmaceutical Industry Funding: Considerations for Organizations Serving Lesbian, Gay, Bisexual, and Transgender Communities. *Journal of Gay & Lesbian Social Services*. 2000;11(1):1-26.
19. RJ Reynolds. Project SCUM. 1995; <http://legacy.library.ucsf.edu/tid/mum76d00>. Accessed May 23, 2005.
20. National Cancer Institute. Scientific Priorities for Cancer Research: NCI's Extraordinary Opportunities: Research on Tobacco and Tobacco-Related Cancers. 2001; <http://2001.cancer.gov/tobacco.htm>. Accessed May 23, 2005.
21. CDC. Smoking-attributable mortality, years of potential life lost, and productivity losses--United States, 2000-2004. *MMWR: Morbidity and Mortality Weekly Report*. Nov 14 2008;57(45):1226-1228.
22. Mokdad AH, Marks JS, Stroup DF, Gerberding JL. Actual Causes of Death in the United States, 2000. *JAMA*. March 10, 2004 2004;291(10):1238-1245.
23. Remafedi G. Lesbian, gay, bisexual, and transgender youths: who smokes, and why? *Nicotine & Tobacco Research*. Jan 2007;9 Suppl 1:S65-71.
24. Leibel K, Lee JG, Goldstein AO, Ranney LM. Barring intervention? Lesbian and gay bars as an underutilized venue for tobacco interventions. *Nicotine Tob Res*. Jul 2011;13(7):507-511.
25. Hatzenbuehler ML, Wieringa NF, Keyes KM. Community-level determinants of tobacco use disparities in lesbian, gay, and bisexual youth: results from a population-based study. *Arch Pediatr Adolesc Med*. Jun 2011;165(6):527-532.
26. Harris Interactive. Six Out Of Ten Adults Surveyed Prefer Smoke-free Bars and Clubs. 2003; <http://www.harrisinteractive.com/news/allnewsbydate.asp?NewsID=566>. Accessed May 23, 2005.